

EP 2

Semiannual Technical Summary

AD-A152 196


DARPA/TTO Program
IR Binary Optics

30 June 1984

Lincoln Laboratory


MASSACHUSETTS INSTITUTE OF TECHNOLOGY

LEXINGTON, MASSACHUSETTS



Prepared for the Defense Advanced Research Projects Agency
under Electronic Systems Division Contract F19628-85-C-0002.

Approved for public release; distribution unlimited



85 02 25 062

DTIC FILE COPY

The work reported in this document was performed at Lincoln Laboratory, a center for research operated by Massachusetts Institute of Technology. This work was sponsored by the Defense Advanced Research Projects Agency under Air Force Contract F19628-85-C-0002.


This report may be reproduced to satisfy needs of U.S. Government agencies.

The views and conclusions contained in this document are those of the contractor and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the United States Government.

The ESD Public Affairs Office has reviewed this report, and it is releasable to the National Technical Information Service, where it will be available to the general public, including foreign nationals.

This technical report has been reviewed and is approved for publication.

FOR THE COMMANDER

A handwritten signature in dark ink, reading "Thomas J. Alpert". The signature is fluid and cursive, with the first name "Thomas" and last name "Alpert" clearly legible.

Thomas J. Alpert, Major, USAF
Chief, ESD Lincoln Laboratory Project Office

Non-Lincoln Recipients

PLEASE DO NOT RETURN

Permission is given to destroy this document
when it is no longer needed.

**MASSACHUSETTS INSTITUTE OF TECHNOLOGY
LINCOLN LABORATORY**


**DARPA/TTO PROGRAM
IR BINARY OPTICS**

**SEMIANNUAL TECHNICAL SUMMARY REPORT
TO THE
DEFENSE ADVANCED RESEARCH PROJECTS AGENCY**

1 JANUARY — 30 JUNE 1984

ISSUED 28 DECEMBER 1984

Approved for public release; distribution unlimited.



LEXINGTON

MASSACHUSETTS

ABSTRACT

This report describes the work performed at Lincoln Laboratory under the sponsorship of DARPA/TTO during the period 1 January through 30 June 1984.



Accession For	
DTIC GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
by	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
AI	

TABLE OF CONTENTS

Abstract	iii
1. Introduction	1
2. Reactive Ion-Beam Laboratory	1

form 1473

IR BINARY OPTICS

1. INTRODUCTION

Binary grating optics consist of microfine rectangular (high-low) relief patterns on a dielectric or a metallic surface. By controlling the depth, width and periodicity of the binary pattern, the amplitude and the phase of an electromagnetic wave can be controlled to produce a variety of optical transfer functions. The lithographic tools for fabrication of binary optics are the ones developed for VLSI circuit fabrication. From a single lithographic mask, planar replica optics can be made in quantity. This technology has broad applicability for tactical missile systems as well as for space systems. Working experimental devices today are in the infrared, but improvements in submicron lithography offer the fabrication technology to make optical devices in the visible.

In addition to making optics cheaper than by conventional means, binary optics allows the fabrication of unique devices that cannot be made conventionally. These include high-speed rotary scanners, multiplexers, filters, beam shapers and coherent laser adders.

The goal of this program is the development of high quality planar optical components using VLSI circuit fabrication techniques. The main elements of the plan are (1) the development of large aperture segmented and piezoelectrically active planar optical surfaces, (2) the development of raster scanning laser telescopes and extension to broadband applications, and (3) the application of diffractive optics technology to the coherent addition of beams from modular laser systems.

This report covers progress in the setup of a reactive ion-beam etching laboratory, and the feasibility demonstrations of the coherent beam addition concept with gas lasers. → next p.

2. REACTIVE ION-BEAM LABORATORY

In the past we have used existing laboratory facilities on the MIT campus and in the Solid State Division at Lincoln Laboratory. The delivery time of wafers with relief patterns (lenses and beam adders) was very low. Typically it would take two months for a single wafer to be delivered. Variational and optimization studies on depth, aspect ratios, coating materials, aberration corrections, etc. require a rapid source of trial devices. The main bottleneck has been the resist deposition, reactive ion-etching and the thin-film sputtering steps. We have purchased a Perkin-Elmer Model 2400-8L reactive ion-etcher (RIE) and thin-film sputter system. Equipment installation in the new fabrication laboratory will begin in December 1984. Of the major equipment items, only a scanning electron microscope is still out for bids. With this laboratory we will be able to fabricate the binary optical elements up to 7" in diameter on the three dielectric materials of primary interest (Si, glass, and GaAs).

In addition to the equipment purchases, we have hired a technician familiar with optics and grating fabrication techniques who has extensive clean-room experience. He has made these binary optical devices for us in the past at the MIT campus. With him and the RIE equipment we will be able to fabricate devices (etch and thin-film deposition steps) during the second quarter of FY85.

A laboratory setup for testing a multibeam monolithic laser diode addition process is also underway. Diodes have been purchased and tested. Accurate AR coating of the array is the critical step in the phase locking process.

Analysis and preliminary tests on other non-holographic binary optical elements for coherent addition have also begun. The devices use straight-line binary gratings and use their zeroth or higher diffraction order for feedback control.

W. Veldkamp

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ESD-TR-84-285	2. GOVT ACCESSION NO. AD-A152196	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) DARPA/TTO Program IR Binary Optics		5. TYPE OF REPORT & PERIOD COVERED Semiannual Technical Summary 1 January — 30 June 1984
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Wilfrid B. Veldkamp		8. CONTRACT OR GRANT NUMBER(s) F19628-85-C-0002
9. PERFORMING ORGANIZATION NAME AND ADDRESS Lincoln Laboratory, M.I.T. P.O. Box 73 Lexington, MA 02173-0073		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS ARPA Order 4654 Program Element No. 62702E
11. CONTROLLING OFFICE NAME AND ADDRESS Defense Advanced Research Projects Agency 1400 Wilson Boulevard Arlington, VA 22209		12. REPORT DATE 30 June 1984
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Electronic Systems Division Hanscom AFB, MA 01731		13. NUMBER OF PAGES 12
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES None		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) → Originator-supplied keywords included. binary optics, defraction gradings ← binary optics and laser radars coherent beam additions		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report describes the work performed at Lincoln Laboratory under the sponsorship of DARPA/TTO during the period 1 January through 30 June 1984.		

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)